

## 42 measures for FY 2010

Topic	Quality Measure	Required Submission	Comments
<b>Heart Attack (Acute Myocardial Infarction)</b>			
	AMI-1 Aspirin at arrival *	11/2003	NQF Endorsed
	AMI-2 Aspirin prescribed at discharge *	11/2003	NQF Endorsed
	AMI-3 Angiotensin Converting Enzyme Inhibitor (ACE-I) or Angiotensin II Receptor Blocker (ARB) for left ventricular systolic dysfunction *	11/2003	NQF Endorsed
	AMI-4 Adult smoking cessation advice/counseling**	3Q2006	NQF Endorsed
	AMI-5 Beta blocker prescribed at discharge *	11/2003	NQF Endorsed
	AMI 6 Beta blocker at arrival *	11/2003	NQF Endorsed
	AMI-7a Fibrinolytic (thrombolytic) agent received within 30 minutes of hospital arrival**	3Q2006	NQF Endorsed
	AMI-8a Timing of Receipt of Primary Percutaneous Coronary Intervention (PCI)	3Q2006	NQF Endorsed
<b>Heart Failure (HF)</b>			
	HF-1 Discharge instructions**	3Q2006	NQF Endorsed
	HF-2 Left ventricular function assessment *	11/2003	NQF Endorsed
	HF-3 Angiotensin Converting Enzyme Inhibitor (ACE-I) or Angiotensin II Receptor Blocker (ARB) for left ventricular systolic dysfunction *	11/2003	NQF Endorsed
	HF-4 Adult smoking cessation advice/counseling**	3Q2006	NQF Endorsed
<b>Pneumonia (PN)</b>			
	PN-2 Pneumococcal vaccination status *	11/2003	NQF Endorsed
	PN-3b Blood culture performed before first antibiotic received in hospital**	3Q2006	NQF Endorsed
	PN-4 Adult smoking cessation advice/counseling**	3Q2006	NQF Endorsed
	PN-5c Timing of receipt of initial antibiotic following hospital arrival*****	4 hr. 11/2003 6 hr. N/A	NQF Endorsed
	PN-6 Appropriate initial antibiotic selection**	3Q2006	NQF Endorsed
	PN-7 Influenza vaccination status**	3Q2006	NQF Endorsed

Topic	Quality Measure	Required Submission	Comments
<b>Surgical Care Improvement Project (SCIP) – named SIP for discharges prior to July 2006 (3Q06)</b>			
	SCIP-1 Prophylactic antibiotic received within 1 hour prior to surgical incision**	3Q2006	NQF Endorsed
	SCIP Infection 2: Prophylactic antibiotic selection for surgical patients***	1Q07	NQF Endorsed
	SCIP-3 Prophylactic antibiotics discontinued within 24 hours after surgery end time**	3Q2006	NQF Endorsed
	SCIP-Infection 4: Cardiac Surgery Patients with Controlled 6AM Postoperative Serum Glucose*****	1Q08	NQF Endorsed
	SCIP Infection 6: Surgery Patients with Appropriate Hair Removal*****	1Q08	NQF Endorsed
	SCIP-VTE-1: Venous thromboembolism (VTE) prophylaxis ordered for surgery patients***	1Q07	NQF Endorsed
	SCIP-VTE-2: VTE prophylaxis within 24 hours pre/post surgery***	1Q07	NQF Endorsed
	SCIP Cardiovascular 2: Surgery Patients on a Beta Blocker Prior to Arrival Who Received a Beta Blocker During the Perioperative Period*****	1Q09	NQF Endorsed
<b>Mortality Measures (Medicare patients) (Claims Data from 07/01/07-06/30/08)</b>			
	MORT-30-AMI Acute Myocardial Infarction 30-day mortality Medicare patients***	N/A	NQF Endorsed
	MORT-30-HF Heart Failure 30-day mortality Medicare patients***	N/A	NQF Endorsed
	MORT-30-PN Pneumonia 30-day mortality Medicare patients****	N/A	NQF Endorsed
<b>Patients' Experience of Care</b>			
	HCAHPS patient survey***	3Q07	NQF Endorsed
<b>Readmission Measures (Medicare patients) (Claims Data from 07/01/07-06/30/08)</b>			
	Heart Failure (HF) 30-Day Risk Standardized Readmission Measure (Medicare patients)*****	N/A	NQF Endorsed
<b>AHRQ Patient Safety Indicators (Claims Data from 07/01/07-06/30/08)</b>			
	Death among surgical patients with treatable serious complications*****	N/A	NQF Endorsed
	Iatrogenic pneumothorax, adult*****	N/A	NQF Endorsed
	Postoperative wound dehiscence*****	N/A	NQF Endorsed
	Accidental puncture or laceration*****	N/A	NQF Endorsed

Topic	Quality Measure	Required Submission	Comments
<b>AHRQ Inpatient Quality Indicators (IQI) (Claims Data from 07/01/07-06/30/08)</b>			
	Abdominal aortic aneurysm (AAA) mortality rate (with or without volume) *****	N/A	NQF Endorsed
	Hip fracture mortality rate*****	N/A	NQF Endorsed
<b>AHRQ IQI Composite Measures (Claims Data from 07/01/07-06/30/08)</b>			
	Mortality for selected surgical procedures (composite) *****	N/A	NQF Endorsed
	Complication/patient safety for selected indicators (composite) *****	N/A	NQF Endorsed
	Mortality for selected medical conditions (composite) *****	N/A	NQF Endorsed
<b>Nursing Sensitive Measures (Claims Data from 07/01/07-06/30/08)</b>			
	Failure to Rescue*****	N/A	NQF Endorsed
<b>Cardiac Surgery Measures</b>			
	Participation in a Systematic Database for Cardiac Surgery *****	Between 07/01/09 and 08/15/09	NQF Endorsed

\*Measure included in 10 measure starter set.

\*\*Measure included in 21 measure expanded set.

\*\*\*Measure added in CY 2007 OPPTS/ASC final rule.

\*\*\*\*Measure added in FY 2008 IPPTS final rule.

\*\*\*\*\*Measure added in CY 2008 OPPTS/ASC final rule.

\*\*\*\*\*Measure added in FY 2009 IPPTS final rule